Epson EB-525W (V11H672041)
EB-525W, Projectors, Short Throw, WXGA, 1280 x 800, 16:10, HD ready, 2,800 lumen-1,700 lumen (economy), 16,000 : 1, Ethernet interface (100 Base-TX / 10 Base-T), Stereo mini jack audio in (2x), VGA in (2x), Cinch audio in, HDMI in, USB 2.0 Type A, Component in (2x), RS-232C, Stereo mini jack audio out, Wireless LAN IEEE 802.11b/g/n (optional), Microphone input, VGA out, Composite in, USB 2.0 Type B, S-Video in, 3.9 kg, 16 W, Computer cable, Main unit, Power cable, Remote control incl. batteries, Setup guide, Software (CD), User manual (CD), 36 months On site service, Lamp: 12 months or 1,000 h

Epson EB-525W short throw projectors provide ultra-bright image quality both in high color brightness and in white brightness with 3LCD,3-chip technology. The EB-525W short throw projectors are ideal for delivering large and engaging presentation content in the classroom or office without having the restriction of space. The EB-525W also features a developed high precision short throw lens with greater sharpness and improved focus levels. The long lasting lamp,projecting long lamp hours in ECO mode gives an extended period of reliable performance. Suitable for desktop use with convenient table top placement,the EB-525W short throw offers flexible installation in any environment.

◢ Key Selling Points

3LCD technology
3x brighter colors with Epson projectors
Large and engaging presentations,even in small spaces
Long lasting lamp,low-cost maintenance
Conveniently collaborate with multi PC projection
Advanced networking
Versatile connectivity

▶ Product Features

3LCD technology
The Epson projectors are based on 3-chip LCD technology for amazing color,incredible detail and solid reliability. 3LCD's 3-chip architecture dedicates an entire chip to process each primary color continuously. Unlike single-chip technology that delivers color sequentially,you get full-time color. The result is vibrant,realistic images and video all delivered with 3LCD's true-to-life color.

3x brighter colors with Epson projectors
Epson projectors use 3LCD engines that have no color wheel with a white segment and therefore don't force a tradeoff between white and color brightness.

Large and engaging presentations,even in small spaces
Enjoy flexible placement options with the EB-525W. These short throw projectors allow you to maximize your office or classroom space by delivering large images with a short throw distance.

Long lasting lamp,low-cost maintenance
Enjoy long lamp life in ECO mode. The lamps will offer lowered maintenance cost while delivering bright vivid images. The lamp regulator function automatically adjusts image brightness according to ambient light levels and image content. This feature helps reduce the load on the lamp and conserves electricity.

Conveniently collaborate with multi PC projection
The multi-PC projection feature allows a network of up to 50 PCs to be connected to a single projector. The version of this feature allows a host PC to act as a moderator who can then select up to 4 of the connected devices to be projected on the screen. The moderator function allows the user to control what image is projected on the screen and prevent tampering.

Advanced networking
With the EB-525W,it's possible to monitor and control networked Epson projectors from a remote location. Schedule power on or off timings,check projector status and receive maintenance alerts. Users can even project presentations in up to four rooms from one networked location.

Versatile connectivity
Not only does the wide-ranging interface correspond with conventional analog sources,it boasts a HDMI input which also acts as a MHL (mobile high definition link) terminal when it is connected to control box. MHL allows you to mirror high definition content from an Android mobile device.

▶ Main Specifications

Product Description	Epson EB 525W LCD projector

Device Type	LCD projector - High Definition 720p
Built-in Devices	Speaker, 0.59-inch TFT LCD
Brightness (White)	2800 lumens
Brightness (Colour)	2800 lumens
Contrast Ratio	16000:1 (dynamic)
Resolution	WXGA (1280 x 800)
Native Aspect Ratio	16:10
Colour Support	1.07 billion colours
Bulb type	200 Watt
Bulb life cycle	Up to 5000 hour(s) / up to 10000 hour(s) (economic mode)
Video Input	RGB, S-Video, composite video, component video LAN
Speakers	Speaker(s) - integrated
Power	AC 120/ 230 V (50 - 60 Hz)
Power Consumption Operational	278 Watt
Dimensions (WxDxH)	34.4 cm x 31.5 cm x 9.4 cm
Weight	3.9 kg
Manufacturer Warranty	3 years warranty

▶ Extended Specification

General

Device Type	LCD projector - HD 720p
Built-in Devices	Speaker,0.59-inch TFT LCD
Networking	Ethernet

Projector

Brightness (White)	2800 lumens
Brightness (Colour)	2800 lumens
Brightness (Reduced)	1700 lumens
Contrast Ratio	16000:1 (dynamic)
Image Size	134 cm - 294 cm
Projection Distance	0.5 m - 1.2 m
Throw Ratio	0.48:1
Digital Zoom Factor	1.35x
Resolution	WXGA - WXGA (1280 x 800)
Native Aspect Ratio	16:10
Colour Support	1.07 billion colours
Bulb type	200 Watt
Bulb life cycle	Up to 5000 hour(s) / up to 10000 hour(s) (economic mode)
Controls & Adjustments	Keystone correction
Features	EPSON 3LCD technology

Lens

Focus Type	Manual
Lens Aperture	F/1.6
Keystone Correction Direction	Horizontal,vertical
Vertical Keystone Correction	-15 / +15
Horizontal Keystone Correction	-15 / +15

Video Input

Analogue video Signal	RGB,S-Video,composite video,component video

Video Interfaces	VGA,HDMI,component video,composite video,S-Video
LAN and Wireless Image Transferring Protocols	Wired LAN

Speakers

Type	Integrated
Sound Output Mode	Mono
Output Power / Channel	16 Watt

Expansion / Connectivity

Interfaces	1 x HDMI input - 19 pin HDMI Type A 2 x VGA / component video input - 15 pin HD D-Sub (HD-15) 1 x USB 2.0 - 4 PIN USB Type A 1 x composite video input - RCA 2 x audio line-in - mini-phone stereo 3.5 mm 1 x USB 2.0 - 4 PIN USB Type B 1 x VGA output - 15 pin HD D-Sub (HD-15) 1 x S-video input 1 x audio line-out - mini-phone stereo 3.5 mm 1 x network - RJ-45 1 x microphone - mini-phone 3.5mm 2 x component video input 1 x serial RS-232

Miscellaneous

Included Accessories	Remote control
Security Features	Security lock slot (cable lock sold separately)

Power

Nominal Voltage	AC 120/230 V (50 - 60 Hz)
Power Consumption Operational	278 Watt
Power Consumption Stand by	0.28 Watt

Software / System Requirements

Software Included	EasyMP Network Projection,EasyMP Monitor,EasyMP Multi PC Projection

Dimensions & Weight

Width	34.4 cm
Depth	31.5 cm
Height	9.4 cm
Weight	3.9 kg

Manufacturer Warranty

Service & Support	3 years warranty
Service & Support Details	Limited warranty - 3 years - on-site Limited warranty - lamp - 1 year / 1000 hours

Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
Sound Emission	35 dBA
Sound Emission (Economic Mode)	29 dBA

◢ What's in the box

Epson EB 525W
Remote control